

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(2,3,5,10,12,13,15,20-Octaphenylporphinato)copper(II) 1,1,2,2-tetrachloroethane solvate

Puttaiah Bhyrappa,^{a*} Karuppaiah Karunanithi^a and Babu Varghese^b

^aDepartment of Chemistry, Indian Institute of Technology Madras, Chennai 600 036, India, and ^bSophisticated Analytical Instrument Facility, Indian Institute of Technology Madras, Chennai 600 036, India
Correspondence e-mail: pbhyrappa@hotmail.com


Received 29 November 2007; accepted 2 January 2008

Key indicators: single-crystal X-ray study; $T = 173$ K; mean $\sigma(\text{C}-\text{C}) = 0.005$ Å; R factor = 0.046; wR factor = 0.119; data-to-parameter ratio = 13.5.

The title complex, $[\text{Cu}(\text{C}_{68}\text{H}_{44}\text{N}_4)] \cdot \text{C}_2\text{H}_2\text{Cl}_4$, exhibits nearly square-planar geometry around the Cu^{II} centre and the macrocyclic ring is almost planar. The porphyrin molecule has an approximate non-crystallographic inversion centre (C_i), and a non-crystallographic twofold rotation axis (C_2) within the Cu^{II} -porphyrin ring plane. Further, it has non-crystallographic twofold rotation axis and mirror plane (C_s) symmetry perpendicular to the molecular plane. The molecular packing of the complexes and the solvent molecules shows weak intermolecular $\text{C}-\text{H} \cdots \pi$, $\text{C}-\text{H} \cdots \text{Cl}$ and $\text{C}-\text{H} \cdots \text{N}$ interactions, forming a clathrate-like structure.

Related literature

For related structures, see: Chan *et al.* (1994); Fleischer *et al.* (1964). For porphyrin sponges, see: Byrn *et al.* (1993). For the preparation of the $\text{CuTPP}(\text{Ph})_4$ complex, see: Bhyrappa *et al.* (2006); Adler *et al.* (1970). For hydrogen-bonding interactions, see: Desiraju & Steiner (1999); Steiner (2002).



Experimental

Crystal data

$[\text{Cu}(\text{C}_{68}\text{H}_{44}\text{N}_4)] \cdot \text{C}_2\text{H}_2\text{Cl}_4$
 $M_r = 1148.45$
Monoclinic, $P2_1/c$
 $a = 18.8891$ (5) Å
 $b = 12.2800$ (4) Å
 $c = 24.5323$ (7) Å
 $\beta = 106.239$ (1)°

$V = 5463.4$ (3) Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.65$ mm⁻¹
 $T = 173$ (2) K
 $0.28 \times 0.24 \times 0.20$ mm

Data collection

Bruker APEXII CCD area-detector diffractometer
Absorption correction: multi-scan (SADABS; Bruker 2003)
 $T_{\text{min}} = 0.840$, $T_{\text{max}} = 0.882$

33284 measured reflections
9594 independent reflections
6243 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.042$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$
 $wR(F^2) = 0.118$
 $S = 1.00$
9594 reflections

712 parameters
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.68$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.55$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
$\text{C70}-\text{H70} \cdots \text{N1}^i$	0.98	2.46	3.430 (5)	170
$\text{C58}-\text{H58} \cdots \text{Cl1}^i$	0.93	2.91	3.728 (5)	148
$\text{C66}-\text{H66} \cdots \text{Cl8}^i$	0.93	2.83	3.755 (4)	172
$\text{C67}-\text{H67} \cdots \text{Cl4}$	0.93	2.93	3.424 (4)	115
$\text{C34}-\text{H34} \cdots \text{C6}^{\text{ii}}$	0.93	2.90	3.790 (5)	161
$\text{C35}-\text{H35} \cdots \text{Cl11}^{\text{ii}}$	0.93	2.89	3.821 (5)	175
$\text{C41}-\text{H41} \cdots \text{Cl9}^{\text{ii}}$	0.93	2.89	3.725 (5)	149

Symmetry codes: (i) $-x + 2, y - \frac{1}{2}, -z + \frac{3}{2}$; (ii) $-x + 1, -y + 1, -z + 1$.

Data collection: APEX2 (Bruker, 2004); cell refinement: APEX2 and SAINT-Plus (Bruker, 2004); data reduction: SAINT-Plus and XPREP (Bruker, 2003); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 (Farrugia, 1997), WinGX (Farrugia, 1999) and Mercury (Macrae *et al.*, 2006); software used to prepare material for publication: SHELXL97.

This work was supported by funds from the DST and partly from the CSIR, Government of India, to PB. We thank Mr V. Ramkumar for the data collection and the Department of Chemistry, IIT Madras, for the X-RD facility.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SI2064).

References

- Adler, A., Longo, F. R., Kampas, F. & Kim, J. (1970). *J. Inorg. Nucl. Chem.* **32**, 2443–2445.
Bhyrappa, P., Sanker, M. & Varghese, B. (2006). *Inorg. Chem.* **45**, 4136–4149.
Bruker (2003). XPREP and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
Bruker (2004). APEX2 (Version 1.22) and SAINT-Plus (Version 7.6), Bruker AXS Inc., Madison, Wisconsin, USA.
Byrn, M. P., Curtis, C. J., Hsiou, Y., Khan, S. I., Sawin, P. A., Tendick, S. K., Terzis, A. & Strouse, C. E. (1993). *J. Am. Chem. Soc.* **115**, 9480–9497.

- Chan, K. S., Zhou, X., Lou, B.-S. & Mak, T. C. W. (1994). *J. Chem. Soc. Chem. Commun.* pp. 271–272.
- Desiraju, G. R. & Steiner, T. (1999). *The Weak Hydrogen Bond in Structural Chemistry and Biology*, pp. 215–219. IUCr Monographs on Crystallography 9. Oxford University Press.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Fleischer, E. B., Miller, C. K. & Webb, L. E. (1964). *J. Am. Chem. Soc.* **86**, 2342–2347.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Steiner, T. (2002). *Angew. Chem. Int. Ed.* **41**, 48–76.

supporting information

Acta Cryst. (2008). E64, m330–m331 [doi:10.1107/S1600536808000147]

(2,3,5,10,12,13,15,20-Octaphenylporphinato)copper(II) 1,1,2,2-tetrachloroethane solvate

Puttaiah Bhyrappa, Karuppaiah Karunanithi and Babu Varghese

S1. Comment

The title complex shows a non-crystallographic centre of inversion (C_i) at the Cu^{II} centre, a rotational axis, (C_2) in plane of the porphyrin ring and another C_2 axis and a mirror plane (C_s) perpendicular to the molecular plane. The Cu^{II} centre has nearly square planar geometry (Fig. 1) and it is quite similar to the 5,10,15,20-tetraphenylporphinato copper(II) complex, CuTPP structure (Fleischer *et al.*, 1964). The crystal structure of $\text{H}_2\text{TPP}(\text{Ph})_4$ exhibited planar conformation of the porphyrin ring (Chan *et al.*, 1994). In the title complex, shortening of the Cu—N distance (1.961 (2) Å) was observed along the β -pyrrole without substituents relative to the distance (2.060 (2) Å) towards other β -pyrroles with phenyl groups. The average Cu—N bond length was found to be 2.010 (2) Å and it is longer than that observed for the corresponding CuTPP (1.981 (7) Å) (Fleischer *et al.*, 1964) complex. The mean plane deviation of the atoms from the 24-atom core indicates the near planar geometry of the porphyrin ring with a maximum displacement of the core atoms (0.077 (7) Å). The Cu^{II} ion deviates from the 24-atom core by 0.0167 (6) Å. The phenyl groups at the *meso*-positions and β -pyrrole carbons are oriented perpendicular to the mean plane of the porphyrin ring with dihedral angles of 81.1 (3)° and 80.3 (5)°, respectively. The *meso*-carbon-to-phenyl distance (C—C = 1.502 (4) Å) was found to be marginally longer than the β -pyrrole carbon-to-phenyl distance (C—C = 1.494 (4) Å) indicating minimal conjugation of the phenyl rings with the porphyrin π -system.

The molecular packing of a porphyrin array oriented approximately along the *c* axis is shown in Fig.2. The porphyrins form a slipped stack dimers and the porphyrin ring planes are separated by 4.791 Å. The dimers are held together through three symmetry related C—H $\cdots\pi$ interactions in the range 2.89 - 2.90 Å (Table 1). These long distances indicate weak C—H $\cdots\pi$ interactions (Steiner, 2002). The non-covalently bonded dimeric units are bridged by solvate mediated hydrogen bonding interactions. Each array is interconnected *via* interporphyrin, weak C—H $\cdots\pi$ (H66 \cdots C18 = 2.83 Å) and porphyrin-solvate hydrogen bonding (H67 \cdots C14 = 2.93 Å) interactions (Fig.3 and Table 1). The close contact distances are expected for the presence of hydrogen bonding (C—H \cdots Cl and C—H \cdots N) interactions (Desiraju & Steiner, 1999). The porphyrin ring planes in the nearest adjacent array are oriented at a skewed angle of 66.6° to each other. Each such two-dimensional network stack along the unit cell *c* axis by solvate mediated intermolecular interactions. Similar solvate encapsulated porphyrin sponges have been reported in the literature (Byrn *et al.*, 1993).

S2. Experimental

2,3,12,13-Tetraphenyl-5,10,15,20-tetraphenylporphyrin, $\text{H}_2\text{TPP}(\text{Ph})_4$, was prepared using the variation of the reported procedure (Bhyrappa *et al.*, 2006) by employing excess of super base (40 mmol) and the reaction was completed in 15 h with 92% yield of the $\text{H}_2\text{TPP}(\text{Ph})_4$ derivative. Its CuTPP(Ph)₄ complex was prepared using a literature method (Adler *et al.*, 1970). The crystals of CuTPP(Ph)₄ were grown by direct diffusion of cyclohexane into 1,1,2,2-tetrachloroethane solution of the porphyrin over a period of three days.

S3. Refinement

All the H atoms were placed in constrained positions ($C-H = 0.93-0.98 \text{ \AA}$) and refined using a riding model with $U_{iso}(H) = 1.2$ or 1.5 times $U_{eq}(C)$ on the parent atom.






Figure 1

ORTEP plot of the molecular structure of $CuTPP(Ph)_4 \cdot TCE$. Thermal ellipsoids shown at the 50% probability level.

**Figure 2**

Molecular packing diagram of the $\text{CuTPP(Ph)}_4\cdot\text{TCE}$ complex with a view along the unit cell c axis. Color scheme: C, H, gray; N, blue; Cl, green; Cu, red. The dotted red lines show the intermolecular C—H \cdots π (H34 \cdots C6, H41 \cdots C19, H58 \cdots C11) and C—H \cdots N (H70 \cdots N1) interactions.

**Figure 3**

View of the molecular packing of interconnecting two arrays to form a two-dimensional network of the title structure. Color scheme: C, H, gray; N, blue; Cl, green; Cu, red. The dotted red lines show the inter-array hydrogen bonding C—H...Cl (H67...Cl4) and C—H... π (H66...C18) interactions.

(2,3,5,10,12,13,15,20-Octaphenylporphinato)copper(II) 1,1,2,2-tetrachloroethane solvate

Crystal data

[Cu(C₆₈H₄₄N₄)]·C₂H₂Cl₄

$M_r = 1148.45$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 18.8891 (5) \text{ \AA}$

$b = 12.2800 (4) \text{ \AA}$

$c = 24.5323 (7) \text{ \AA}$

$\beta = 106.239 (1)^\circ$

$V = 5463.4 (3) \text{ \AA}^3$

$Z = 4$

$F(000) = 2364$

$D_x = 1.396 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 6786 reflections

$\theta = 2.4\text{--}26.1^\circ$

$\mu = 0.65 \text{ mm}^{-1}$

$T = 173 \text{ K}$

Plate, brown

$0.28 \times 0.24 \times 0.20 \text{ mm}$

Data collection

Bruker APEXII CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω and φ scans

Absorption correction: multi-scan
(SADABS; Bruker 2003)

$T_{\min} = 0.840$, $T_{\max} = 0.882$

33284 measured reflections

9594 independent reflections

6243 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.042$

$\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 2.3^\circ$

$h = -22 \rightarrow 16$

$k = -14 \rightarrow 14$

$l = -29 \rightarrow 28$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.046$
 $wR(F^2) = 0.119$
 $S = 1.00$
 9594 reflections
 712 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0464P)^2 + 5.7309P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.68 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.55 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.64459 (17)	0.5928 (2)	0.62180 (13)	0.0231 (7)
C2	0.57857 (17)	0.6535 (3)	0.62036 (13)	0.0248 (7)
C3	0.54667 (17)	0.6822 (3)	0.56593 (13)	0.0239 (7)
C4	0.59271 (16)	0.6397 (2)	0.53228 (13)	0.0222 (7)
C5	0.58044 (16)	0.6525 (3)	0.47372 (13)	0.0236 (7)
C6	0.62698 (17)	0.6117 (3)	0.44359 (13)	0.0241 (7)
C7	0.61224 (18)	0.6229 (3)	0.38328 (13)	0.0304 (8)
H7	0.5727	0.6599	0.3593	0.036*
C8	0.66522 (18)	0.5709 (3)	0.36775 (14)	0.0319 (8)
H8	0.6695	0.5650	0.3310	0.038*
C9	0.71477 (17)	0.5255 (3)	0.41811 (13)	0.0241 (7)
C10	0.77607 (17)	0.4639 (3)	0.41720 (13)	0.0238 (7)
C11	0.82656 (17)	0.4216 (2)	0.46542 (13)	0.0225 (7)
C12	0.89196 (16)	0.3591 (3)	0.46627 (13)	0.0240 (7)
C13	0.92241 (17)	0.3272 (3)	0.52072 (13)	0.0249 (7)
C14	0.87621 (16)	0.3701 (3)	0.55416 (13)	0.0228 (7)
C15	0.88581 (16)	0.3516 (3)	0.61190 (12)	0.0239 (7)
C16	0.84064 (17)	0.3967 (3)	0.64239 (13)	0.0246 (7)
C17	0.85496 (18)	0.3817 (3)	0.70261 (13)	0.0303 (8)
H17	0.8932	0.3413	0.7261	0.036*
C18	0.80283 (17)	0.4369 (3)	0.71861 (13)	0.0292 (8)
H18	0.7984	0.4419	0.7553	0.035*
C19	0.75556 (17)	0.4864 (3)	0.66928 (12)	0.0247 (7)
C20	0.69373 (17)	0.5476 (3)	0.66969 (13)	0.0231 (7)
C21	0.68139 (17)	0.5585 (3)	0.72752 (13)	0.0288 (8)

C22	0.6517 (2)	0.4722 (3)	0.75038 (15)	0.0429 (10)
H22	0.6351	0.4108	0.7283	0.052*
C23	0.6464 (2)	0.4758 (4)	0.80535 (16)	0.0590 (13)
H23	0.6267	0.4173	0.8203	0.071*
C24	0.6702 (2)	0.5662 (5)	0.83754 (17)	0.0659 (14)
H24	0.6663	0.5692	0.8745	0.079*
C25	0.6998 (2)	0.6523 (4)	0.81635 (17)	0.0604 (13)
H25	0.7160	0.7134	0.8388	0.073*
C26	0.7058 (2)	0.6487 (3)	0.76105 (15)	0.0423 (9)
H26	0.7263	0.7072	0.7467	0.051*
C27	0.54803 (17)	0.6852 (3)	0.66816 (13)	0.0259 (7)
C28	0.5045 (2)	0.6149 (3)	0.68860 (15)	0.0406 (9)
H28	0.4969	0.5443	0.6745	0.049*
C29	0.4719 (2)	0.6481 (3)	0.72986 (16)	0.0483 (10)
H29	0.4425	0.5998	0.7430	0.058*
C30	0.4827 (2)	0.7509 (4)	0.75122 (16)	0.0463 (10)
H30	0.4617	0.7725	0.7795	0.056*
C31	0.5249 (2)	0.8226 (3)	0.73069 (16)	0.0476 (10)
H31	0.5313	0.8935	0.7444	0.057*
C32	0.55786 (19)	0.7895 (3)	0.68968 (14)	0.0372 (9)
H32	0.5870	0.8382	0.6765	0.045*
C33	0.47542 (16)	0.7434 (3)	0.54840 (13)	0.0250 (7)
C34	0.41086 (18)	0.6902 (3)	0.54866 (15)	0.0368 (9)
H34	0.4123	0.6167	0.5580	0.044*
C35	0.34450 (19)	0.7451 (3)	0.53527 (16)	0.0425 (10)
H35	0.3016	0.7083	0.5357	0.051*
C36	0.3414 (2)	0.8534 (3)	0.52138 (16)	0.0439 (10)
H36	0.2966	0.8902	0.5119	0.053*
C37	0.4057 (2)	0.9076 (3)	0.52158 (16)	0.0411 (9)
H37	0.4041	0.9811	0.5123	0.049*
C38	0.47228 (18)	0.8533 (3)	0.53543 (14)	0.0320 (8)
H38	0.5153	0.8907	0.5361	0.038*
C39	0.51471 (17)	0.7143 (3)	0.43896 (12)	0.0251 (7)
C40	0.44515 (18)	0.6684 (3)	0.42313 (14)	0.0345 (8)
H40	0.4380	0.5985	0.4352	0.041*
C41	0.38612 (19)	0.7259 (3)	0.38938 (16)	0.0449 (10)
H41	0.3394	0.6947	0.3791	0.054*
C42	0.3960 (2)	0.8287 (3)	0.37089 (15)	0.0454 (10)
H42	0.3559	0.8673	0.3485	0.054*
C43	0.4649 (2)	0.8745 (3)	0.38543 (14)	0.0401 (9)
H43	0.4719	0.9438	0.3726	0.048*
C44	0.52382 (18)	0.8173 (3)	0.41928 (13)	0.0307 (8)
H44	0.5705	0.8486	0.4290	0.037*
C45	0.78249 (17)	0.4373 (3)	0.35884 (13)	0.0274 (8)
C46	0.7451 (2)	0.3482 (3)	0.33074 (14)	0.0404 (9)
H46	0.7181	0.3043	0.3485	0.048*
C47	0.7477 (2)	0.3239 (4)	0.27625 (16)	0.0524 (11)
H47	0.7224	0.2636	0.2575	0.063*

C48	0.7869 (2)	0.3877 (4)	0.24988 (16)	0.0536 (12)
H48	0.7890	0.3705	0.2134	0.064*
C49	0.8231 (2)	0.4771 (4)	0.27717 (16)	0.0586 (13)
H49	0.8495	0.5212	0.2590	0.070*
C50	0.8210 (2)	0.5028 (3)	0.33185 (15)	0.0433 (10)
H50	0.8455	0.5641	0.3501	0.052*
C51	0.92391 (17)	0.3269 (3)	0.41925 (13)	0.0267 (8)
C52	0.90578 (19)	0.2281 (3)	0.39251 (14)	0.0363 (9)
H52	0.8705	0.1844	0.4016	0.044*
C53	0.9393 (2)	0.1929 (3)	0.35218 (15)	0.0483 (10)
H53	0.9266	0.1257	0.3347	0.058*
C54	0.9907 (2)	0.2558 (4)	0.33792 (16)	0.0497 (11)
H54	1.0122	0.2327	0.3101	0.060*
C55	1.0106 (2)	0.3541 (4)	0.36498 (18)	0.0538 (11)
H55	1.0463	0.3968	0.3559	0.065*
C56	0.9775 (2)	0.3896 (3)	0.40592 (16)	0.0428 (10)
H56	0.9914	0.4557	0.4243	0.051*
C57	0.99055 (17)	0.2602 (3)	0.53830 (12)	0.0257 (7)
C58	0.98709 (19)	0.1484 (3)	0.54570 (14)	0.0337 (8)
H58	0.9415	0.1150	0.5406	0.040*
C59	1.0503 (2)	0.0863 (3)	0.56045 (15)	0.0459 (10)
H59	1.0472	0.0116	0.5656	0.055*
C60	1.1178 (2)	0.1343 (4)	0.56752 (16)	0.0513 (11)
H60	1.1604	0.0924	0.5782	0.062*
C61	1.1226 (2)	0.2441 (4)	0.55881 (16)	0.0465 (10)
H61	1.1683	0.2764	0.5629	0.056*
C62	1.05912 (18)	0.3068 (3)	0.54386 (14)	0.0349 (9)
H62	1.0625	0.3810	0.5375	0.042*
C63	0.94523 (17)	0.2782 (3)	0.64525 (13)	0.0279 (8)
C64	0.9268 (2)	0.1744 (3)	0.65906 (14)	0.0379 (9)
H64	0.8782	0.1506	0.6465	0.045*
C65	0.9809 (3)	0.1058 (3)	0.69174 (16)	0.0529 (11)
H65	0.9683	0.0365	0.7012	0.064*
C66	1.0524 (3)	0.1401 (4)	0.70990 (16)	0.0569 (12)
H66	1.0886	0.0937	0.7312	0.068*
C67	1.0710 (2)	0.2428 (4)	0.69686 (15)	0.0497 (11)
H67	1.1197	0.2659	0.7093	0.060*
C68	1.01747 (18)	0.3120 (3)	0.66534 (14)	0.0375 (9)
H68	1.0303	0.3823	0.6575	0.045*
N1	0.65247 (13)	0.5851 (2)	0.56727 (10)	0.0215 (6)
N2	0.69068 (13)	0.5520 (2)	0.46464 (10)	0.0221 (6)
N3	0.81909 (13)	0.4296 (2)	0.51955 (10)	0.0214 (6)
N4	0.77967 (13)	0.4618 (2)	0.62234 (10)	0.0225 (6)
Cu1	0.735277 (19)	0.50618 (3)	0.543368 (15)	0.02048 (11)
C69	1.2045 (2)	0.3335 (4)	0.94084 (18)	0.0544 (11)
H69	1.1761	0.2674	0.9422	0.065*
C70	1.2450 (2)	0.3183 (4)	0.89730 (19)	0.0594 (12)
H70	1.2792	0.2574	0.9098	0.071*

C11	1.14390 (8)	0.44408 (13)	0.92542 (6)	0.0953 (5)
C12	1.27110 (6)	0.35061 (10)	1.00777 (4)	0.0613 (3)
C13	1.29698 (8)	0.43045 (13)	0.88925 (6)	0.0882 (4)
C14	1.17999 (7)	0.27836 (13)	0.83291 (5)	0.0837 (4)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0263 (17)	0.0209 (18)	0.0243 (18)	−0.0048 (14)	0.0110 (14)	−0.0054 (14)
C2	0.0265 (17)	0.0230 (18)	0.0284 (18)	−0.0018 (15)	0.0137 (14)	−0.0052 (14)
C3	0.0261 (17)	0.0186 (17)	0.0294 (18)	−0.0026 (14)	0.0116 (14)	−0.0026 (14)
C4	0.0230 (17)	0.0185 (17)	0.0265 (18)	−0.0039 (14)	0.0094 (14)	−0.0025 (14)
C5	0.0241 (17)	0.0211 (18)	0.0263 (18)	−0.0002 (14)	0.0083 (14)	−0.0007 (14)
C6	0.0263 (17)	0.0204 (18)	0.0259 (18)	−0.0002 (14)	0.0080 (14)	0.0007 (14)
C7	0.0329 (19)	0.036 (2)	0.0224 (18)	0.0102 (16)	0.0082 (15)	0.0037 (15)
C8	0.037 (2)	0.039 (2)	0.0223 (18)	0.0076 (17)	0.0124 (15)	0.0033 (16)
C9	0.0285 (18)	0.0235 (19)	0.0219 (17)	0.0007 (14)	0.0097 (14)	−0.0010 (14)
C10	0.0279 (18)	0.0227 (18)	0.0232 (17)	−0.0011 (14)	0.0112 (14)	−0.0011 (14)
C11	0.0261 (17)	0.0202 (18)	0.0242 (17)	−0.0038 (14)	0.0121 (14)	−0.0005 (14)
C12	0.0238 (17)	0.0251 (18)	0.0249 (18)	−0.0011 (14)	0.0096 (13)	−0.0017 (14)
C13	0.0261 (17)	0.0258 (19)	0.0267 (18)	−0.0005 (14)	0.0135 (14)	−0.0015 (15)
C14	0.0215 (16)	0.0216 (18)	0.0250 (17)	−0.0015 (14)	0.0061 (13)	−0.0016 (14)
C15	0.0234 (17)	0.0266 (19)	0.0219 (17)	−0.0007 (14)	0.0067 (13)	−0.0020 (14)
C16	0.0248 (17)	0.0276 (19)	0.0225 (17)	−0.0007 (15)	0.0084 (14)	−0.0013 (14)
C17	0.0311 (19)	0.039 (2)	0.0205 (17)	0.0071 (16)	0.0070 (14)	0.0022 (15)
C18	0.0317 (19)	0.040 (2)	0.0175 (17)	0.0025 (16)	0.0090 (14)	0.0004 (15)
C19	0.0270 (17)	0.0277 (19)	0.0210 (16)	−0.0028 (15)	0.0093 (13)	−0.0051 (14)
C20	0.0267 (18)	0.0221 (18)	0.0233 (17)	−0.0053 (14)	0.0114 (14)	−0.0066 (14)
C21	0.0262 (18)	0.041 (2)	0.0190 (17)	0.0105 (16)	0.0064 (14)	−0.0046 (16)
C22	0.042 (2)	0.060 (3)	0.031 (2)	−0.006 (2)	0.0174 (17)	−0.0002 (19)
C23	0.050 (3)	0.102 (4)	0.031 (2)	0.000 (3)	0.0195 (19)	0.013 (2)
C24	0.054 (3)	0.124 (5)	0.022 (2)	0.021 (3)	0.015 (2)	−0.004 (3)
C25	0.067 (3)	0.078 (4)	0.030 (2)	0.015 (3)	0.005 (2)	−0.026 (2)
C26	0.046 (2)	0.045 (2)	0.033 (2)	0.0071 (19)	0.0071 (17)	−0.0125 (18)
C27	0.0250 (17)	0.029 (2)	0.0247 (17)	0.0053 (15)	0.0093 (14)	−0.0014 (15)
C28	0.046 (2)	0.038 (2)	0.045 (2)	−0.0014 (19)	0.0259 (19)	−0.0092 (18)
C29	0.050 (2)	0.055 (3)	0.052 (3)	−0.001 (2)	0.034 (2)	0.001 (2)
C30	0.047 (2)	0.062 (3)	0.036 (2)	0.019 (2)	0.0207 (19)	−0.001 (2)
C31	0.062 (3)	0.041 (2)	0.045 (2)	0.009 (2)	0.023 (2)	−0.013 (2)
C32	0.043 (2)	0.037 (2)	0.036 (2)	−0.0014 (18)	0.0178 (17)	−0.0053 (17)
C33	0.0254 (17)	0.0271 (19)	0.0246 (17)	0.0019 (15)	0.0103 (14)	−0.0051 (15)
C34	0.033 (2)	0.027 (2)	0.052 (2)	−0.0004 (17)	0.0166 (17)	0.0025 (17)
C35	0.027 (2)	0.041 (2)	0.061 (3)	−0.0019 (18)	0.0156 (18)	0.005 (2)
C36	0.030 (2)	0.041 (2)	0.062 (3)	0.0104 (19)	0.0158 (18)	0.002 (2)
C37	0.041 (2)	0.026 (2)	0.058 (3)	0.0073 (18)	0.0156 (18)	0.0039 (18)
C38	0.0309 (19)	0.026 (2)	0.042 (2)	−0.0018 (16)	0.0156 (16)	−0.0013 (16)
C39	0.0279 (18)	0.0271 (19)	0.0211 (17)	0.0035 (15)	0.0083 (13)	−0.0036 (14)
C40	0.032 (2)	0.034 (2)	0.037 (2)	−0.0023 (17)	0.0088 (16)	−0.0093 (17)

C41	0.026 (2)	0.052 (3)	0.050 (2)	0.0013 (19)	-0.0010 (17)	-0.019 (2)
C42	0.038 (2)	0.053 (3)	0.038 (2)	0.023 (2)	-0.0027 (17)	-0.006 (2)
C43	0.050 (2)	0.035 (2)	0.035 (2)	0.0145 (19)	0.0111 (18)	0.0052 (17)
C44	0.0305 (19)	0.033 (2)	0.0285 (18)	0.0026 (16)	0.0085 (15)	-0.0001 (16)
C45	0.0266 (18)	0.033 (2)	0.0224 (17)	0.0071 (16)	0.0068 (14)	-0.0018 (15)
C46	0.050 (2)	0.042 (2)	0.031 (2)	0.0024 (19)	0.0141 (17)	-0.0029 (18)
C47	0.058 (3)	0.059 (3)	0.036 (2)	0.006 (2)	0.007 (2)	-0.017 (2)
C48	0.048 (2)	0.090 (4)	0.026 (2)	0.012 (2)	0.0156 (19)	-0.010 (2)
C49	0.056 (3)	0.093 (4)	0.034 (2)	-0.013 (3)	0.026 (2)	-0.003 (2)
C50	0.043 (2)	0.059 (3)	0.032 (2)	-0.012 (2)	0.0178 (17)	-0.005 (2)
C51	0.0292 (18)	0.030 (2)	0.0234 (17)	0.0087 (15)	0.0108 (14)	0.0010 (15)
C52	0.040 (2)	0.041 (2)	0.031 (2)	0.0006 (18)	0.0164 (16)	-0.0023 (17)
C53	0.059 (3)	0.053 (3)	0.036 (2)	0.008 (2)	0.017 (2)	-0.014 (2)
C54	0.052 (3)	0.067 (3)	0.038 (2)	0.021 (2)	0.0258 (19)	-0.001 (2)
C55	0.052 (3)	0.063 (3)	0.064 (3)	0.006 (2)	0.043 (2)	0.008 (2)
C56	0.050 (2)	0.039 (2)	0.051 (2)	0.0011 (19)	0.032 (2)	-0.0015 (19)
C57	0.0291 (18)	0.032 (2)	0.0183 (16)	0.0046 (16)	0.0099 (13)	-0.0019 (14)
C58	0.037 (2)	0.035 (2)	0.033 (2)	0.0061 (17)	0.0148 (16)	-0.0009 (16)
C59	0.061 (3)	0.036 (2)	0.042 (2)	0.018 (2)	0.016 (2)	0.0043 (18)
C60	0.042 (2)	0.064 (3)	0.046 (2)	0.030 (2)	0.0095 (19)	0.000 (2)
C61	0.027 (2)	0.064 (3)	0.049 (2)	0.008 (2)	0.0123 (17)	-0.007 (2)
C62	0.034 (2)	0.038 (2)	0.036 (2)	0.0015 (17)	0.0146 (16)	-0.0065 (17)
C63	0.0302 (19)	0.034 (2)	0.0225 (17)	0.0088 (16)	0.0118 (14)	0.0005 (15)
C64	0.043 (2)	0.038 (2)	0.038 (2)	0.0074 (18)	0.0202 (17)	0.0028 (18)
C65	0.080 (3)	0.044 (3)	0.044 (2)	0.025 (2)	0.033 (2)	0.016 (2)
C66	0.063 (3)	0.074 (3)	0.034 (2)	0.041 (3)	0.014 (2)	0.012 (2)
C67	0.039 (2)	0.072 (3)	0.035 (2)	0.016 (2)	0.0065 (18)	0.002 (2)
C68	0.034 (2)	0.048 (2)	0.0300 (19)	0.0074 (18)	0.0084 (16)	0.0007 (18)
N1	0.0235 (14)	0.0203 (15)	0.0214 (14)	-0.0013 (12)	0.0074 (11)	-0.0012 (11)
N2	0.0251 (14)	0.0216 (14)	0.0221 (14)	0.0019 (12)	0.0105 (11)	0.0003 (12)
N3	0.0236 (14)	0.0231 (15)	0.0186 (14)	-0.0007 (12)	0.0077 (11)	-0.0002 (11)
N4	0.0249 (14)	0.0227 (15)	0.0212 (14)	-0.0010 (12)	0.0087 (11)	-0.0028 (11)
Cu1	0.0220 (2)	0.0212 (2)	0.01977 (19)	0.00008 (17)	0.00838 (14)	-0.00128 (16)
C69	0.045 (2)	0.050 (3)	0.070 (3)	0.008 (2)	0.019 (2)	0.009 (2)
C70	0.051 (3)	0.050 (3)	0.080 (3)	0.016 (2)	0.023 (2)	0.009 (2)
Cl1	0.0875 (10)	0.1020 (11)	0.0990 (11)	0.0603 (9)	0.0303 (8)	0.0086 (9)
Cl2	0.0466 (6)	0.0845 (9)	0.0481 (6)	-0.0065 (6)	0.0054 (5)	0.0052 (6)
Cl3	0.0867 (10)	0.0987 (11)	0.0909 (10)	-0.0276 (8)	0.0437 (8)	0.0083 (8)
Cl4	0.0745 (8)	0.1147 (12)	0.0581 (8)	0.0044 (8)	0.0122 (6)	-0.0277 (7)

Geometric parameters (Å, °)

C1—N1	1.390 (4)	C37—C38	1.379 (5)
C1—C20	1.393 (4)	C37—H37	0.93
C1—C2	1.445 (4)	C38—H38	0.93
C2—C3	1.349 (4)	C39—C44	1.381 (5)
C2—C27	1.496 (4)	C39—C40	1.382 (4)
C3—C4	1.453 (4)	C40—C41	1.383 (5)

C3—C33	1.496 (4)	C40—H40	0.93
C4—N1	1.385 (4)	C41—C42	1.371 (5)
C4—C5	1.398 (4)	C41—H41	0.93
C5—C6	1.390 (4)	C42—C43	1.370 (5)
C5—C39	1.501 (4)	C42—H42	0.93
C6—N2	1.380 (4)	C43—C44	1.381 (5)
C6—C7	1.434 (4)	C43—H43	0.93
C7—C8	1.329 (4)	C44—H44	0.93
C7—H7	0.93	C45—C50	1.372 (5)
C8—C9	1.438 (4)	C45—C46	1.378 (5)
C8—H8	0.93	C46—C47	1.384 (5)
C9—N2	1.381 (4)	C46—H46	0.93
C9—C10	1.388 (4)	C47—C48	1.359 (6)
C10—C11	1.395 (4)	C47—H47	0.93
C10—C45	1.506 (4)	C48—C49	1.366 (6)
C11—N3	1.378 (4)	C48—H48	0.93
C11—C12	1.450 (4)	C49—C50	1.390 (5)
C12—C13	1.356 (4)	C49—H49	0.93
C12—C51	1.497 (4)	C50—H50	0.93
C13—C14	1.453 (4)	C51—C52	1.375 (5)
C13—C57	1.486 (4)	C51—C56	1.382 (5)
C14—N3	1.381 (4)	C52—C53	1.385 (5)
C14—C15	1.396 (4)	C52—H52	0.93
C15—C16	1.397 (4)	C53—C54	1.360 (6)
C15—C63	1.492 (4)	C53—H53	0.93
C16—N4	1.375 (4)	C54—C55	1.378 (6)
C16—C17	1.437 (4)	C54—H54	0.93
C17—C18	1.341 (4)	C55—C56	1.394 (5)
C17—H17	0.93	C55—H55	0.93
C18—C19	1.424 (4)	C56—H56	0.93
C18—H18	0.93	C57—C62	1.387 (4)
C19—N4	1.385 (4)	C57—C58	1.389 (5)
C19—C20	1.392 (4)	C58—C59	1.377 (5)
C20—C21	1.507 (4)	C58—H58	0.93
C21—C26	1.380 (5)	C59—C60	1.371 (6)
C21—C22	1.388 (5)	C59—H59	0.93
C22—C23	1.381 (5)	C60—C61	1.372 (6)
C22—H22	0.93	C60—H60	0.93
C23—C24	1.363 (7)	C61—C62	1.385 (5)
C23—H23	0.93	C61—H61	0.93
C24—C25	1.365 (7)	C62—H62	0.93
C24—H24	0.93	C63—C68	1.379 (5)
C25—C26	1.393 (5)	C63—C64	1.388 (5)
C25—H25	0.93	C64—C65	1.392 (5)
C26—H26	0.93	C64—H64	0.93
C27—C32	1.378 (5)	C65—C66	1.365 (6)
C27—C28	1.379 (5)	C65—H65	0.93
C28—C29	1.385 (5)	C66—C67	1.371 (6)

C28—H28	0.93	C66—H66	0.93
C29—C30	1.361 (5)	C67—C68	1.380 (5)
C29—H29	0.93	C67—H67	0.93
C30—C31	1.374 (5)	C68—H68	0.93
C30—H30	0.93	N1—Cu1	2.060 (2)
C31—C32	1.384 (5)	N2—Cu1	1.961 (2)
C31—H31	0.93	N3—Cu1	2.061 (2)
C32—H32	0.93	N4—Cu1	1.961 (2)
C33—C38	1.384 (4)	C69—C70	1.488 (6)
C33—C34	1.385 (4)	C69—C11	1.748 (4)
C34—C35	1.379 (5)	C69—C12	1.779 (4)
C34—H34	0.93	C69—H69	0.98
C35—C36	1.371 (5)	C70—C13	1.734 (5)
C35—H35	0.93	C70—C14	1.777 (5)
C36—C37	1.383 (5)	C70—H70	0.98
C36—H36	0.93		
N1—C1—C20	124.0 (3)	C39—C40—C41	120.2 (4)
N1—C1—C2	109.6 (3)	C39—C40—H40	119.9
C20—C1—C2	126.4 (3)	C41—C40—H40	119.9
C3—C2—C1	107.6 (3)	C42—C41—C40	120.5 (3)
C3—C2—C27	123.0 (3)	C42—C41—H41	119.8
C1—C2—C27	129.4 (3)	C40—C41—H41	119.8
C2—C3—C4	107.2 (3)	C43—C42—C41	119.9 (3)
C2—C3—C33	122.2 (3)	C43—C42—H42	120.1
C4—C3—C33	130.6 (3)	C41—C42—H42	120.1
N1—C4—C5	124.3 (3)	C42—C43—C44	119.7 (4)
N1—C4—C3	109.6 (3)	C42—C43—H43	120.2
C5—C4—C3	126.1 (3)	C44—C43—H43	120.2
C6—C5—C4	123.9 (3)	C43—C44—C39	121.2 (3)
C6—C5—C39	115.2 (3)	C43—C44—H44	119.4
C4—C5—C39	120.9 (3)	C39—C44—H44	119.4
N2—C6—C5	127.4 (3)	C50—C45—C46	119.4 (3)
N2—C6—C7	109.5 (3)	C50—C45—C10	121.7 (3)
C5—C6—C7	123.0 (3)	C46—C45—C10	118.8 (3)
C8—C7—C6	107.8 (3)	C45—C46—C47	120.2 (4)
C8—C7—H7	126.1	C45—C46—H46	119.9
C6—C7—H7	126.1	C47—C46—H46	119.9
C7—C8—C9	107.6 (3)	C48—C47—C46	120.4 (4)
C7—C8—H8	126.2	C48—C47—H47	119.8
C9—C8—H8	126.2	C46—C47—H47	119.8
N2—C9—C10	127.7 (3)	C47—C48—C49	119.7 (4)
N2—C9—C8	109.4 (3)	C47—C48—H48	120.2
C10—C9—C8	122.9 (3)	C49—C48—H48	120.2
C9—C10—C11	124.4 (3)	C48—C49—C50	120.6 (4)
C9—C10—C45	115.0 (3)	C48—C49—H49	119.7
C11—C10—C45	120.5 (3)	C50—C49—H49	119.7
N3—C11—C10	124.1 (3)	C45—C50—C49	119.7 (4)

N3—C11—C12	109.9 (3)	C45—C50—H50	120.2
C10—C11—C12	125.9 (3)	C49—C50—H50	120.2
C13—C12—C11	107.0 (3)	C52—C51—C56	118.7 (3)
C13—C12—C51	122.1 (3)	C52—C51—C12	120.0 (3)
C11—C12—C51	130.9 (3)	C56—C51—C12	121.0 (3)
C12—C13—C14	107.2 (3)	C51—C52—C53	120.9 (3)
C12—C13—C57	122.7 (3)	C51—C52—H52	119.6
C14—C13—C57	130.2 (3)	C53—C52—H52	119.6
N3—C14—C15	124.6 (3)	C54—C53—C52	120.5 (4)
N3—C14—C13	109.5 (3)	C54—C53—H53	119.7
C15—C14—C13	125.8 (3)	C52—C53—H53	119.7
C14—C15—C16	123.6 (3)	C53—C54—C55	119.5 (3)
C14—C15—C63	121.3 (3)	C53—C54—H54	120.3
C16—C15—C63	115.1 (3)	C55—C54—H54	120.3
N4—C16—C15	127.9 (3)	C54—C55—C56	120.3 (4)
N4—C16—C17	109.9 (3)	C54—C55—H55	119.9
C15—C16—C17	122.1 (3)	C56—C55—H55	119.9
C18—C17—C16	107.1 (3)	C51—C56—C55	120.1 (4)
C18—C17—H17	126.5	C51—C56—H56	119.9
C16—C17—H17	126.5	C55—C56—H56	119.9
C17—C18—C19	107.7 (3)	C62—C57—C58	118.1 (3)
C17—C18—H18	126.1	C62—C57—C13	120.6 (3)
C19—C18—H18	126.1	C58—C57—C13	121.1 (3)
N4—C19—C20	126.6 (3)	C59—C58—C57	120.8 (3)
N4—C19—C18	109.9 (3)	C59—C58—H58	119.6
C20—C19—C18	123.6 (3)	C57—C58—H58	119.6
C19—C20—C1	124.9 (3)	C60—C59—C58	120.1 (4)
C19—C20—C21	113.9 (3)	C60—C59—H59	119.9
C1—C20—C21	121.1 (3)	C58—C59—H59	119.9
C26—C21—C22	118.5 (3)	C59—C60—C61	120.2 (4)
C26—C21—C20	121.2 (3)	C59—C60—H60	119.9
C22—C21—C20	120.0 (3)	C61—C60—H60	119.9
C23—C22—C21	121.2 (4)	C60—C61—C62	119.9 (4)
C23—C22—H22	119.4	C60—C61—H61	120.1
C21—C22—H22	119.4	C62—C61—H61	120.1
C24—C23—C22	119.3 (4)	C61—C62—C57	120.8 (4)
C24—C23—H23	120.3	C61—C62—H62	119.6
C22—C23—H23	120.3	C57—C62—H62	119.6
C23—C24—C25	120.9 (4)	C68—C63—C64	118.7 (3)
C23—C24—H24	119.5	C68—C63—C15	122.1 (3)
C25—C24—H24	119.5	C64—C63—C15	119.1 (3)
C24—C25—C26	120.0 (4)	C63—C64—C65	120.2 (4)
C24—C25—H25	120.0	C63—C64—H64	119.9
C26—C25—H25	120.0	C65—C64—H64	119.9
C21—C26—C25	120.1 (4)	C66—C65—C64	120.1 (4)
C21—C26—H26	120.0	C66—C65—H65	120.0
C25—C26—H26	120.0	C64—C65—H65	120.0
C32—C27—C28	118.2 (3)	C65—C66—C67	120.2 (4)

C32—C27—C2	120.1 (3)	C65—C66—H66	119.9
C28—C27—C2	121.5 (3)	C67—C66—H66	119.9
C27—C28—C29	120.9 (4)	C66—C67—C68	120.2 (4)
C27—C28—H28	119.5	C66—C67—H67	119.9
C29—C28—H28	119.5	C68—C67—H67	119.9
C30—C29—C28	120.3 (4)	C63—C68—C67	120.7 (4)
C30—C29—H29	119.8	C63—C68—H68	119.6
C28—C29—H29	119.8	C67—C68—H68	119.6
C29—C30—C31	119.5 (3)	C4—N1—C1	106.0 (2)
C29—C30—H30	120.2	C4—N1—Cu1	127.11 (19)
C31—C30—H30	120.2	C1—N1—Cu1	126.9 (2)
C30—C31—C32	120.2 (4)	C6—N2—C9	105.7 (2)
C30—C31—H31	119.9	C6—N2—Cu1	127.60 (19)
C32—C31—H31	119.9	C9—N2—Cu1	126.6 (2)
C27—C32—C31	120.7 (3)	C11—N3—C14	106.4 (2)
C27—C32—H32	119.6	C11—N3—Cu1	126.84 (19)
C31—C32—H32	119.6	C14—N3—Cu1	126.67 (19)
C38—C33—C34	118.6 (3)	C16—N4—C19	105.5 (2)
C38—C33—C3	122.2 (3)	C16—N4—Cu1	126.8 (2)
C34—C33—C3	119.0 (3)	C19—N4—Cu1	127.7 (2)
C35—C34—C33	120.8 (3)	N4—Cu1—N2	179.44 (11)
C35—C34—H34	119.6	N4—Cu1—N1	89.91 (10)
C33—C34—H34	119.6	N2—Cu1—N1	89.67 (10)
C36—C35—C34	120.4 (3)	N4—Cu1—N3	90.18 (10)
C36—C35—H35	119.8	N2—Cu1—N3	90.23 (10)
C34—C35—H35	119.8	N1—Cu1—N3	179.05 (10)
C35—C36—C37	119.3 (3)	C70—C69—C11	112.3 (3)
C35—C36—H36	120.4	C70—C69—C12	107.8 (3)
C37—C36—H36	120.4	C11—C69—C12	111.0 (2)
C38—C37—C36	120.5 (3)	C70—C69—H69	108.6
C38—C37—H37	119.7	C11—C69—H69	108.6
C36—C37—H37	119.7	C12—C69—H69	108.6
C37—C38—C33	120.4 (3)	C69—C70—C13	113.8 (3)
C37—C38—H38	119.8	C69—C70—C14	107.9 (3)
C33—C38—H38	119.8	C13—C70—C14	113.0 (3)
C44—C39—C40	118.5 (3)	C69—C70—H70	107.3
C44—C39—C5	119.8 (3)	C13—C70—H70	107.3
C40—C39—C5	121.6 (3)	C14—C70—H70	107.3
N1—C1—C2—C3	0.1 (4)	C5—C39—C40—C41	-177.7 (3)
C20—C1—C2—C3	-179.7 (3)	C39—C40—C41—C42	0.5 (5)
N1—C1—C2—C27	-178.4 (3)	C40—C41—C42—C43	0.6 (5)
C20—C1—C2—C27	1.9 (5)	C41—C42—C43—C44	-0.9 (5)
C1—C2—C3—C4	-0.1 (4)	C42—C43—C44—C39	-0.1 (5)
C27—C2—C3—C4	178.5 (3)	C40—C39—C44—C43	1.2 (5)
C1—C2—C3—C33	178.0 (3)	C5—C39—C44—C43	177.5 (3)
C27—C2—C3—C33	-3.4 (5)	C9—C10—C45—C50	91.7 (4)
C2—C3—C4—N1	0.1 (4)	C11—C10—C45—C50	-92.5 (4)

C33—C3—C4—N1	-177.8 (3)	C9—C10—C45—C46	-84.5 (4)
C2—C3—C4—C5	-178.9 (3)	C11—C10—C45—C46	91.3 (4)
C33—C3—C4—C5	3.1 (5)	C50—C45—C46—C47	1.3 (5)
N1—C4—C5—C6	-0.1 (5)	C10—C45—C46—C47	177.6 (3)
C3—C4—C5—C6	178.8 (3)	C45—C46—C47—C48	-0.1 (6)
N1—C4—C5—C39	-179.1 (3)	C46—C47—C48—C49	-0.9 (6)
C3—C4—C5—C39	-0.3 (5)	C47—C48—C49—C50	0.7 (7)
C4—C5—C6—N2	1.2 (5)	C46—C45—C50—C49	-1.5 (6)
C39—C5—C6—N2	-179.7 (3)	C10—C45—C50—C49	-177.7 (3)
C4—C5—C6—C7	178.1 (3)	C48—C49—C50—C45	0.5 (6)
C39—C5—C6—C7	-2.8 (5)	C13—C12—C51—C52	84.5 (4)
N2—C6—C7—C8	0.3 (4)	C11—C12—C51—C52	-93.1 (4)
C5—C6—C7—C8	-177.1 (3)	C13—C12—C51—C56	-88.7 (4)
C6—C7—C8—C9	0.1 (4)	C11—C12—C51—C56	93.7 (4)
C7—C8—C9—N2	-0.4 (4)	C56—C51—C52—C53	-1.3 (5)
C7—C8—C9—C10	178.9 (3)	C12—C51—C52—C53	-174.7 (3)
N2—C9—C10—C11	-3.0 (5)	C51—C52—C53—C54	-0.4 (6)
C8—C9—C10—C11	177.8 (3)	C52—C53—C54—C55	1.6 (6)
N2—C9—C10—C45	172.6 (3)	C53—C54—C55—C56	-1.1 (6)
C8—C9—C10—C45	-6.5 (5)	C52—C51—C56—C55	1.7 (5)
C9—C10—C11—N3	4.5 (5)	C12—C51—C56—C55	175.0 (3)
C45—C10—C11—N3	-170.9 (3)	C54—C55—C56—C51	-0.5 (6)
C9—C10—C11—C12	-178.6 (3)	C12—C13—C57—C62	76.4 (4)
C45—C10—C11—C12	6.0 (5)	C14—C13—C57—C62	-103.9 (4)
N3—C11—C12—C13	1.6 (4)	C12—C13—C57—C58	-99.0 (4)
C10—C11—C12—C13	-175.6 (3)	C14—C13—C57—C58	80.7 (4)
N3—C11—C12—C51	179.5 (3)	C62—C57—C58—C59	2.6 (5)
C10—C11—C12—C51	2.3 (5)	C13—C57—C58—C59	178.2 (3)
C11—C12—C13—C14	-0.2 (4)	C57—C58—C59—C60	-0.6 (5)
C51—C12—C13—C14	-178.3 (3)	C58—C59—C60—C61	-1.3 (6)
C11—C12—C13—C57	179.5 (3)	C59—C60—C61—C62	1.2 (6)
C51—C12—C13—C57	1.5 (5)	C60—C61—C62—C57	0.9 (5)
C12—C13—C14—N3	-1.3 (4)	C58—C57—C62—C61	-2.8 (5)
C57—C13—C14—N3	179.0 (3)	C13—C57—C62—C61	-178.3 (3)
C12—C13—C14—C15	176.6 (3)	C14—C15—C63—C68	79.8 (4)
C57—C13—C14—C15	-3.2 (6)	C16—C15—C63—C68	-101.7 (4)
N3—C14—C15—C16	-3.8 (5)	C14—C15—C63—C64	-103.5 (4)
C13—C14—C15—C16	178.6 (3)	C16—C15—C63—C64	74.9 (4)
N3—C14—C15—C63	174.5 (3)	C68—C63—C64—C65	-1.1 (5)
C13—C14—C15—C63	-3.0 (5)	C15—C63—C64—C65	-177.9 (3)
C14—C15—C16—N4	2.2 (5)	C63—C64—C65—C66	-0.6 (5)
C63—C15—C16—N4	-176.2 (3)	C64—C65—C66—C67	1.1 (6)
C14—C15—C16—C17	-175.8 (3)	C65—C66—C67—C68	0.0 (6)
C63—C15—C16—C17	5.7 (5)	C64—C63—C68—C67	2.3 (5)
N4—C16—C17—C18	0.3 (4)	C15—C63—C68—C67	178.9 (3)
C15—C16—C17—C18	178.7 (3)	C66—C67—C68—C63	-1.8 (5)
C16—C17—C18—C19	0.2 (4)	C5—C4—N1—C1	179.0 (3)
C17—C18—C19—N4	-0.6 (4)	C3—C4—N1—C1	-0.1 (3)

C17—C18—C19—C20	178.0 (3)	C5—C4—N1—Cu1	-1.9 (4)
N4—C19—C20—C1	1.4 (5)	C3—C4—N1—Cu1	179.00 (19)
C18—C19—C20—C1	-176.9 (3)	C20—C1—N1—C4	179.8 (3)
N4—C19—C20—C21	179.0 (3)	C2—C1—N1—C4	0.0 (3)
C18—C19—C20—C21	0.7 (5)	C20—C1—N1—Cu1	0.7 (4)
N1—C1—C20—C19	-2.0 (5)	C2—C1—N1—Cu1	-179.1 (2)
C2—C1—C20—C19	177.7 (3)	C5—C6—N2—C9	176.7 (3)
N1—C1—C20—C21	-179.5 (3)	C7—C6—N2—C9	-0.6 (3)
C2—C1—C20—C21	0.2 (5)	C5—C6—N2—Cu1	0.0 (5)
C19—C20—C21—C26	96.4 (4)	C7—C6—N2—Cu1	-177.3 (2)
C1—C20—C21—C26	-85.9 (4)	C10—C9—N2—C6	-178.6 (3)
C19—C20—C21—C22	-77.0 (4)	C8—C9—N2—C6	0.6 (3)
C1—C20—C21—C22	100.7 (4)	C10—C9—N2—Cu1	-1.9 (5)
C26—C21—C22—C23	0.1 (5)	C8—C9—N2—Cu1	177.4 (2)
C20—C21—C22—C23	173.7 (3)	C10—C11—N3—C14	174.9 (3)
C21—C22—C23—C24	0.5 (6)	C12—C11—N3—C14	-2.4 (3)
C22—C23—C24—C25	-0.6 (7)	C10—C11—N3—Cu1	-1.3 (4)
C23—C24—C25—C26	0.1 (7)	C12—C11—N3—Cu1	-178.6 (2)
C22—C21—C26—C25	-0.6 (5)	C15—C14—N3—C11	-175.6 (3)
C20—C21—C26—C25	-174.1 (3)	C13—C14—N3—C11	2.3 (3)
C24—C25—C26—C21	0.5 (6)	C15—C14—N3—Cu1	0.5 (4)
C3—C2—C27—C32	-77.1 (4)	C13—C14—N3—Cu1	178.4 (2)
C1—C2—C27—C32	101.1 (4)	C15—C16—N4—C19	-178.9 (3)
C3—C2—C27—C28	97.4 (4)	C17—C16—N4—C19	-0.6 (3)
C1—C2—C27—C28	-84.4 (4)	C15—C16—N4—Cu1	2.7 (5)
C32—C27—C28—C29	-0.4 (5)	C17—C16—N4—Cu1	-179.0 (2)
C2—C27—C28—C29	-175.0 (3)	C20—C19—N4—C16	-177.8 (3)
C27—C28—C29—C30	-0.3 (6)	C18—C19—N4—C16	0.7 (3)
C28—C29—C30—C31	1.4 (6)	C20—C19—N4—Cu1	0.6 (5)
C29—C30—C31—C32	-1.8 (6)	C18—C19—N4—Cu1	179.1 (2)
C28—C27—C32—C31	0.0 (5)	C16—N4—Cu1—N1	176.7 (3)
C2—C27—C32—C31	174.7 (3)	C19—N4—Cu1—N1	-1.4 (3)
C30—C31—C32—C27	1.1 (6)	C16—N4—Cu1—N3	-4.2 (3)
C2—C3—C33—C38	104.3 (4)	C19—N4—Cu1—N3	177.7 (3)
C4—C3—C33—C38	-78.0 (5)	C6—N2—Cu1—N1	-1.3 (3)
C2—C3—C33—C34	-71.4 (4)	C9—N2—Cu1—N1	-177.3 (3)
C4—C3—C33—C34	106.3 (4)	C6—N2—Cu1—N3	179.7 (3)
C38—C33—C34—C35	1.2 (5)	C9—N2—Cu1—N3	3.6 (3)
C3—C33—C34—C35	177.0 (3)	C4—N1—Cu1—N4	-178.1 (2)
C33—C34—C35—C36	0.1 (6)	C1—N1—Cu1—N4	0.8 (2)
C34—C35—C36—C37	-0.8 (6)	C4—N1—Cu1—N2	2.2 (2)
C35—C36—C37—C38	0.2 (6)	C1—N1—Cu1—N2	-178.9 (2)
C36—C37—C38—C33	1.1 (5)	C11—N3—Cu1—N4	178.2 (2)
C34—C33—C38—C37	-1.7 (5)	C14—N3—Cu1—N4	2.8 (3)
C3—C33—C38—C37	-177.5 (3)	C11—N3—Cu1—N2	-2.2 (2)
C6—C5—C39—C44	-73.2 (4)	C14—N3—Cu1—N2	-177.6 (3)
C4—C5—C39—C44	106.0 (4)	C11—C69—C70—C13	59.0 (4)
C6—C5—C39—C40	103.0 (4)	C12—C69—C70—C13	-63.6 (4)

C4—C5—C39—C40	-77.8 (4)	C11—C69—C70—C14	-67.2 (4)
C44—C39—C40—C41	-1.4 (5)	C12—C69—C70—C14	170.3 (2)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
C70—H70...N1 ⁱ	0.98	2.46	3.430 (5)	170
C58—H58...C11 ⁱ	0.93	2.91	3.728 (5)	148
C66—H66...C18 ⁱ	0.93	2.83	3.755 (4)	172
C67—H67...C14	0.93	2.93	3.424 (4)	115
C34—H34...C6 ⁱⁱ	0.93	2.90	3.790 (5)	161
C35—H35...C11 ⁱⁱ	0.93	2.89	3.821 (5)	175
C41—H41...C19 ⁱⁱ	0.93	2.89	3.725 (5)	149

Symmetry codes: (i) $-x+2, y-1/2, -z+3/2$; (ii) $-x+1, -y+1, -z+1$.