

Publisher's Note: "Ultrasonic waveguide based level measurement using flexural mode F(1,1) in addition to the fundamental modes" [Rev. Sci. Instrum. 90, 045108 (2019)]

Cite as: Rev. Sci. Instrum. 90, 059901 (2019); <https://doi.org/10.1063/1.5100616>
Submitted: 08 April 2019 . Published Online: 02 May 2019

Nishanth Raja , Krishnan Balasubramaniam , and Suresh Periyannan



View Online



Export Citation



CrossMark

ARTICLES YOU MAY BE INTERESTED IN

[Ultrasonic waveguide based level measurement using flexural mode F\(1,1\) in addition to the fundamental modes](#)

Review of Scientific Instruments 90, 045108 (2019); <https://doi.org/10.1063/1.5054638>

[Improving the nondestructive analysis accuracy of liquids in a flexible container based on the multi-pathlength spectrum method](#)

Review of Scientific Instruments 90, 056101 (2019); <https://doi.org/10.1063/1.5052909>

[An adaptable two-lens high-resolution objective for single-site resolved imaging of atoms in optical lattices](#)

Review of Scientific Instruments 90, 053201 (2019); <https://doi.org/10.1063/1.5086539>

Lock-in Amplifiers
up to 600 MHz



Publisher's Note: "Ultrasonic waveguide based level measurement using flexural mode F(1,1) in addition to the fundamental modes" [Rev. Sci. Instrum. 90, 045108 (2019)]

Cite as: Rev. Sci. Instrum. 90, 059901 (2019); doi: 10.1063/1.5100616
Submitted: 8 April 2019 • Published Online: 2 May 2019



View Online



Export Citation



CrossMark

Nishanth Raja,^{a)}  Krishnan Balasubramaniam,^{b)}  and Suresh Periyannan^{b)}

AFFILIATIONS

Centre for Non-Destructive Evaluation, Department of Mechanical Engineering, Indian Institute of Technology Madras, Chennai 600036, India

^{a)}Electronic mail: nisanth.be@gmail.com.

^{b)}Current address: Department of Mechanical Engineering, National Institute of Technology Warangal, Warangal 506004, India.

<https://doi.org/10.1063/1.5100616>

This article was originally published online on 5 April 2019 with an error in the footnotes. Footnote "a" was incorrectly assigned to the first author (Nishanth Raja) instead of the third author (Suresh Periyannan). The electronic address

was correctly assigned. All online versions of the article were corrected on 9 April 2019; the article is correct as it appears in the printed journal. The footnotes appear correctly above.